<u>, a</u>				
22	0	("textur\$3near3scor\$3near3surfaceandenhanc\$4near3bond\$3").Pl	V.USPAT; US-PGPUB	2004/09/20 07:27
23	0	textur\$3 near3 scor\$3 near3 surface and enhanc\$4 near3 bond\$3	USPAT; US-PGPUB	2004/09/20 07:28
24	660	((textur\$3 or scor\$3) near3 surface) and enhanc\$4 near3 bond\$3	USPAT; US-PGPUB	2004/09/20 07:28
25	101	((textur\$3 or scor\$3) near3 surface) same enhanc\$4 near3 bond\$3	USPAT; US-PGPUB	2004/09/20 07:37
26	7	(((textur\$3 or scor\$3) near3 surface) same enhanc\$4 near3	USPAT;	2004/09/20 07:31
27	53	bond\$3) and (lens or (optical near3 (component or element))) (((textur\$3 or scor\$3) near3 surface) same enhanc\$4 near3	US-PGPUB USPAT;	2004/09/20 07:31
28	0	bond\$3) and adhesive ((textur\$3 with scor\$3) with surface) same enhanc\$4 near3	US-PGPUB USPAT;	2004/09/20 07:37
29	6	bond\$3 ((textur\$3 with scor\$3) with surface) and enhanc\$4 near3 bond\$3	US-PGPUB USPAT;	2004/09/20 07:39
30	19	((textur\$3 same scor\$3) same surface) and enhanc\$4 near3	US-PGPUB USPAT;	2004/09/20 07:40
31	19	bond\$3 ((textur\$3 same scor\$3) same surface) and enhanc\$4 near3	US-PGPUB USPAT;	2004/09/20 07:41
		bond\$3	US-PGPUB; EPO; JPO;	•
32	260	(textur\$3 near3 surface\$1) same (enhanc\$4 near3 (bond\$3 or	DERWENT USPAT:	2004/09/20 07:42
	255	adhes\$3))	US-PGPUB; EPO; JPO;	
22	40	((toxture2 noor2 gurface\$1) same (anhane\$4 noor2 (hand\$2 an	DERWENT	2004/00/20 07:49
33	19	((textur\$3 near3 surface\$1) same (enhanc\$4 near3 (bond\$3 or adhes\$3))) and (scor\$3 or kerf\$1)	USPAT; US-PGPUB;	2004/09/20 07:48
·			EPO; JPO; DERWENT	
34	0	157/101.ccls. and (scor\$3 or kerf\$1or notch)	USPAT; US-PGPUB;	2004/09/20 07:49
			EPO; JPO; DERWENT	
35	0	157/101.ccls. and (scor\$3 or kerf\$1 or notch)	USPAT; US-PGPUB;	2004/09/20 07:49
		•	EPO; JPO; DERWENT	
36	5	156/101.ccls. and (scor\$3 or kerf\$1 or notch)	USPAT; US-PGPUB;	2004/09/20 07:50
			EPO; JPO;	
37	125	156/257.ccls. and (scor\$3 or kerf\$1 or notch)	DERWENT USPAT;	2004/09/20 07:50
			US-PGPUB; EPO; JPO;	٠,
38	24	156/257.ccls. and ((scor\$3 or kerf\$1 or notch) near3 surface)	DERWENT USPAT;	2004/09/20 07:50
			US-PGPUB; EPO; JPO;	
39	52	156/257.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	DERWENT USPAT;	2004/09/20 07:55
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB; EPO; JPO;	
41	7	156/\$9.ccls. and ((scor\$3 and notch) with surface)	DERWENT USPAT;	2004/09/20 07:54
		1000 policies and flowers and flowers with surfaces	US-PGPUB; EPO; JPO;	200 TIOUIZU UI 104
42	04.4	156/\$ colo and //ggar\$2 or kor\$4 or notab) with curface)	DERWENT	2004/00/20 07:50
44	814	156/\$.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	USPAT; US-PGPUB;	2004/09/20 07:58
			EPO; JPO; DERWENT	
43	544	(156/\$.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)) and adhes\$3	USPAT; US-PGPUB;	2004/09/20 07:56
			EPO; JPO; DERWENT	

L Number	Hits	Search Text	DB	Time stamp
1	52545	surface near3 flat\$6 and adhesive	USPAT;	2004/09/20 06:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
2	2736	(surface near3 flat\$6 and adhesive) and scor\$3	USPAT;	2004/09/20 06:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
3	822	((surface near3 flat\$6 and adhesive) and scor\$3) and (notch or	USPAT;	2004/09/20 06:48
		groove)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
4	337	((surface near3 flat\$6 and adhesive) and scor\$3) and (notch)	USPAT;	2004/09/20 06:49
İ			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
5	311	(((surface near3 flat\$6 and adhesive) and scor\$3) and (notch))	USPAT;	2004/09/20 06:55
		and (attach\$6 or fix\$3)	US-PGPUB;	
		•	EPO; JPO;	
			DERWENT	
6	7	((((surface near3 flat\$6 and adhesive) and scor\$3) and (notch))	USPAT;	2004/09/20 06:51
		and (attach\$6 or fix\$3)) and optical near3 (element or	US-PGPUB;	
i i		component)	EPO; JPO;	
			DERWENT	
7	65	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/20 06:56
		and (attach\$6 or fix\$3)) and (mirror or lens or prism)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
8	0	((((surface near3 flat\$6 and adhesive) and scor\$3) and (notch))	USPAT;	2004/09/20 06:55
		and (attach\$6 or fix\$3)) and 372/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
_			DERWENT	
9	204	(((surface near3 flat\$6 and adhesive) and scor\$3) and (notch))	USPAT;	2004/09/20 06:56
		and (bond\$3)	US-PGPUB;	İ
-			EPO; JPO;	
1.0			DERWENT	
10	45	((((	USPAT;	2004/09/20 06:58
		and (bond\$3)) and (mirror or lens or prism)	US-PGPUB;	
			EPO; JPO;	
44	4004		DERWENT	0004/00/00 00 50
11	1631	surface and kerf\$1 and (adhesive or bond\$3)	USPAT;	2004/09/20 06:58
			US-PGPUB;	
			EPO; JPO;	
40	45	///	DERWENT	0004/00/00 07:00
12	45	((((	USPAT;	2004/09/20 07:00
		and (bond\$3)) and (mirror or lens or prism or (optical near3	US-PGPUB;	
		(component or element)))	EPO; JPO;	
13	42402	cumpart man? curface and (adhasive or hand@2) and (minns as	DERWENT	2004/00/20 07:04
'	13123	support near3 surface and (adhesive or bond\$3) and (mirror or lens or prism or (optical near3 (component or element)))	USPAT; US-PGPUB;	2004/09/20 07:01
		ions or prism or (optical nears (component or element)))	EPO; JPO;	
			DERWENT	
14	3241	(support near3 surface and (adhesive or bond\$3) and (mirror or	USPAT;	2004/09/20 07:01
'	3241	lens or prism or (optical near3 (component or element)))) and	US-PGPUB;	2004/03/20 07:01
		(scor\$3 or kerf\$1)	EPO; JPO;	
		(GOOTAG OF KETTAT)	DERWENT	
15	510	((support near3 surface and (adhesive or bond\$3) and (mirror or	USPAT;	2004/09/20 07:02
'	5.0	lens or prism or (optical near3 (component or element)))) and	US-PGPUB;	2004/03/20 01:02
		(scor\$3 or kerf\$1)) and (notch)	EPO; JPO;	
		(COOTAGE OF ROTHER TITE CHICAGO)	DERWENT	
16	56	(((support near3 surface and (adhesive or bond\$3) and (mirror or	USPAT;	2004/09/20 07:02
'		lens or prism or (optical near3 (component or element)))) and	US-PGPUB;	2004/03/20 01.02
		(scor\$3 or kerf\$1)) and (notch)) and (pitch or depth)	EPO; JPO;	
		(222.42 at many try with thistory) and thistory of dopting	DERWENT	
19	3	(("5669997") or ("20010053167") or ("5703900")).PN.	USPAT;	2004/09/20 07:11
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	
	·		, 22 . 3. 35	<del></del>

•				
44	22	((156/\$.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)) and adhes\$3) and lens	USPAT; US-PGPUB;	2004/09/20 07:56
			EPO; JPO;	
45	40	(/156/C and and //acort2 or kort21 or match) with autona)) and	DERWENT USPAT:	2004/00/20 07:57
45	49	((156/\$.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)) and adhes\$3) and textur\$3	US-PGPUB;	2004/09/20 07:57
		adiles#3) and textur#3	EPO; JPO;	
			DERWENT	
46	54	372/\$.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	USPAT;	2004/09/20 08:04
			US-PGPUB;	
			EPO; JPO;	
47		270/00 and and //anamed and reflect an maketh with a referral	DERWENT	2004/00/20 00:04
47	2	372/98.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	USPAT; US-PGPUB;	2004/09/20 08:04
			EPO; JPO;	
			DERWENT	
48	4	372/99.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	USPAT;	2004/09/20 08:05
			US-PGPUB;	
			EPO; JPO;	
40		270/400 and	DERWENT	2004/00/20 00:05
49	0	372/100.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	USPAT; US-PGPUB:	2004/09/20 08:05
			EPO; JPO;	,
			DERWENT	
50	0	372/101.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	USPAT;	2004/09/20 08:05
			US-PGPUB;	
			EPO; JPO;	
51	1	272/107 colo and ((coorf2 or korff1 or notch) with surface)	DERWENT USPAT;	2004/09/20 08:05
31	1	372/107.ccls. and ((scor\$3 or kerf\$1 or notch) with surface)	US-PGPUB;	2004/09/20 08:05
			EPO; JPO;	
			DERWENT	
-	1	("5469456").PN.	USPAT;	2004/02/11 08:45
	20212		US-PGPUB	0000/07/07 40 00
-	69640	laser and (lens near secur\$3 or bond\$3) and surface	USPAT; US-PGPUB	2003/07/27 10:06
_	911	laser and (lens near (secur\$3 or bond\$3)) and surface	USPAT:	2003/07/27 10:10
		Table and field field (0000) or bolidge); and ounded	US-PGPUB	2000/01/27 10:10
-	3	(laser and (lens near (secur\$3 or bond\$3)) and surface) and	USPAT;	2003/07/27 10:07
	_	kerf\$1	US-PGPUB	
-	8	(laser and (lens near (secur\$3 or bond\$3)) and surface) and	USPAT;	2003/07/27 10:10
_	52	scor\$3 (laser and (lens near (secur\$3 or bond\$3)) and surface) and	US-PGPUB USPAT;	2003/07/27 10:10
•	32	(scratch\$3 or scor\$3)	US-PGPUB	2003/01/21 10.10
-	4	1 2	USPAT;	2003/07/27 10:14
	1	(scratch\$3 or scor\$3))	US-PGPUB	
-	25	(	USPAT;	2003/07/27 10:13
	0	method ((laser near module) and (lens near (secur\$3 or bond\$3)) and	US-PGPUB USPAT:	2003/07/27 10:14
•	0	method) and (surface near (scratch\$3 or scor\$3))	US-PGPUB	2003/01/21 10.14
-	1	((laser near module) and (lens near (secur\$3 or bond\$3)) and	USPAT;	2003/07/27 10:15
		method) and (scratch\$3 or scor\$3)	US-PGPUB	
•	845	((scratch\$3 or scor\$3) near3 (bonding or adhesive))	USPAT;	2003/07/27 10:21
	-		US-PGPUB	
-	30	(((scratch\$3 or scor\$3) near3 (bonding or adhesive))) and ((lens or optical) near3 (element or device or component))	USPAT;	2003/07/27 10:34
	57	method near3 bonding near3 lens\$2	US-PGPUB USPAT;	2003/07/27 10:21
	3,	Thomas Hours boriging Hours Ionsyz	US-PGPUB	2000/01/21 10.21
-	13	(method near3 bonding near3 lens\$2) and (scratch\$3 or scor\$3)	USPAT;	2003/07/27 10:22
			US-PGPUB	
-	33	(method near3 bonding near3 lens\$2) and (scratch\$3 or scor\$3	USPAT;	2003/07/27 10:37
_	2471	or groove\$2 or notch\$3) filling near3 bond\$3	US-PGPUB	2002/07/27 40:40
-	2411	mining ricars buridas	USPAT; US-PGPUB;	2003/07/27 10:40
			EPO; JPO;	
	L		DERWENT	

•				
-	665	(filling near3 bond\$3) and (scratch\$3 or scor\$3 or groove\$2 or notch\$3)	USPAT; US-PGPUB; EPO; JPO;	2003/07/27 10:34
			DERWENT	
_	28	((filling near3 bond\$3) and (scratch\$3 or scor\$3 or groove\$2 or	USPAT;	2003/07/27 10:35
-	20	notch\$3) ) and ((lens\$2 or optical) near3 (element or device or	US-PGPUB;	2003/01/21 10.55
		component))	EPO; JPO;	
		Componency	DERWENT	
	22	(filling near3 bond\$3) and ((scratch\$3 or scor\$3) near3 surface)	USPAT;	2003/07/27 11:07
-	22	(miling flears bolidas) and ((scratchas of scoras) flears surface)	US-PGPUB;	2003/01/21 11.07
			EPO; JPO;	
		lanato nano filina nano handto	DERWENT	0000/07/07 40:40
-	1	lens\$2 near3 filling near3 bond\$3	USPAT;	2003/07/27 10:40
			US-PGPUB;	
			EPO; JPO;	
	05000	(/	DERWENT	0000007/07 40 55
- '	25329	((scratch\$3 or scor\$3) near3 surface)	USPAT;	2003/07/27 10:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	5585	(((scratch\$3 or scor\$3) near3 surface) ) and adhesive	USPAT;	2003/07/27 10:56
			US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT	
-	5	((((scratch\$3 or scor\$3) near3 surface) ) and adhesive) and	USPAT;	2003/07/27 10:57
		372/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	116	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/07/27 11:06
		438/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	71	bicycle and (inner near tube) and flat and (glue or adhesive)	USPAT;	2003/07/27 11:07
			US-PGPUB;	
			EPO; JPO;	
	-		DERWENT	
-	7	(bicycle and (inner near tube) and flat and (glue or adhesive)) and	USPAT;	2003/07/27 11:12
		(scratch\$3 or scor\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	2	(bicycle near3 tube) and (flat near3 fix\$3) and (scratch\$3 or	USPAT;	2003/07/27 11:09
		scor\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	17	(method near fixing) and tube and bicycle	USPAT;	2003/07/27 11:11
			US-PGPUB;	
			EPO; JPO;	
[			DERWENT	
-	7	(method near fixing) and tire and bicycle	USPAT;	2003/07/27 11:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	(method near3 fixing) and tire and bicycle and patch\$3	USPAT;	2003/07/27 11:12
			US-PGPUB;	
			EPO; JPO;	
			DÉRWENT	
-	65	method and tire and bicycle and patch\$3	USPAT;	2003/07/27 11:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	4	(method and tire and bicycle and patch\$3) and (scratch\$3 or	USPAT;	2003/07/27 11:13
		scor\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	17	(method and tire and bicycle and patch\$3) and punctur\$3	USPAT;	2003/07/27 11:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	

-	39	repair\$3 and punctur\$3 and bicycle and (inner near3 tube)	USPAT; US-PGPUB;	2003/07/27 11:22
-	2	repair\$3 and punctur\$3 and bicycle and rasp\$1	EPO; JPO; DERWENT USPAT; US-PGPUB;	2003/07/27 11:23
-	3	repair\$3 and punctur\$3 and bicycle and abrasive	EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/07/27 11:26
-	17	repair\$3 and punctur\$3 and bicycle and abra\$6	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/07/27 11:26
-	1385	(optical near3 (component\$1 or elemnt\$1)) same (afix\$3 or fix\$3) and (adhesive or bond\$3)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:23
-	477	(optical near3 (component\$1 or elemnt\$1)) same (afix\$3 or fix\$3) same (adhesive or bond\$3)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 10:57
-	39	((optical near3 (component\$1 or elemnt\$1)) same (afix\$3 or fix\$3) same (adhesive or bond\$3)) and (kerf\$1 or scor\$3 or notch or slit)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:27
-	1591	(optical near3 (component\$1 or elemnt\$1)) same (afix\$6 or fix\$6) and (adhesive or bond\$3)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:23
-	1060	(optical near3 (component\$1 or elemnt\$1)) same (afix\$6 or fix\$6) and (adhesive)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:25
-	0	((optical near3 (component\$1 or elemnt\$1)) same (afix\$6 or fix\$6) and (adhesive)) and 350/\$.ccls.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:26
-	120518	(pitch or flat\$4 or depth) and (kerf\$1 or scor\$3 or notch)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:30
-	201	((pitch or flat\$4 or depth) and (kerf\$1 or scor\$3 or notch)) and fluid near3 adhesive	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:33
-	3	(((pitch or flat\$4 or depth) and (kerf\$1 or scor\$3 or notch)) and fluid near3 adhesive) and (optical near3 (component\$1 or element\$1))	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:29
-	5	(pitch and flat\$4 and depth) and (kerf\$1 and scor\$3 and notch)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:31
-	5	(pitch ) same (scor\$3 and notch)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:39
-	1594	fix\$6 and fluid near3 adhesive	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:33
-	278	fix\$6 same fluid near3 adhesive	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 11:34
	L	0.05-20 AM Decc 5	DERWENT	

-	60	(fix\$6 same fluid near3 adhesive) and optical	USPAT; US-PGPUB;	2004/01/23 11:34
			EPO; JPO;	
			DERWENT	
-	2	fluid near adhesive and (scor\$3 and notch) and fix\$6	USPAT;	2004/01/23 11:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	1041	adhesive and (scor\$3 and notch) and fix\$6	USPAT;	2004/01/23 11:41
			US-PGPUB;	
			EPO; JPO;	
	207	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	DERWENT	0004/04/00 44.40
-	387	( adhesive and (scor\$3 and notch) and fix\$6) and optical	USPAT;	2004/01/23 11:42
			US-PGPUB;	
			EPO; JPO;   DERWENT	
_	2	adhesive same (scor\$3 and notch) same fix\$6	USPAT;	2004/01/23 11:41
-	_	adilesive same (scorps and notch) same hypo	US-PGPUB:	2004/01/2011:41
			EPO; JPO;	
			DERWENT	
-	119	( adhesive and (scor\$3 and notch) and fix\$6) and optical near3	USPAT;	2004/01/23 11:44
		component\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	672830	(( adhesive and (scor\$3 and notch) and fix\$6) and optical near3	USPAT;	2004/01/23 11:45
		component\$1) and module or packag\$3	US-PGPUB;	
			EPO; JPO;	
	110	(/	DERWENT	0004/04/00 44.50
-	113		USPAT;	2004/01/23 11:50
		component\$1) and (module or packag\$3)	US-PGPUB; EPO; JPO;	
			DERWENT	
_	35361	372/\$.ccls.	USPAT;	2004/01/23 11:50
_	33301	37274.00l3.	US-PGPUB;	2004/01/2011:00
			EPO; JPO;	
			DERWENT	
-	5	372/\$.ccls. and fluid near3 adhesive	USPAT;	2004/01/23 11:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	0004/04/00 44 54
-	0	372/\$.ccls. and (scor\$4 and notch)	USPAT;	2004/01/23 11:51
			US-PGPUB;	
			EPO; JPO; DERWENT	
_	47	372/\$.ccls. and (scor\$4)	USPAT;	2004/01/23 12:01
1	"'	- 01 Δ/ψ.0003. απα (300) ψτ/	US-PGPUB;	2007/01/20 12:01
			EPO; JPO;	
İ			DERWENT	
-	11603	adhes\$3 and (scor\$4) and (packag\$3 or module) and surface	USPAT;	2004/01/23 12:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	0004/04/00 10 00
-	4203	(adhes\$3 and (scor\$4) and (packag\$3 or module) and surface)	USPAT;	2004/01/23 12:03
		and optical	US-PGPUB;	
			EPO; JPO; DERWENT	
1.	198	(adhes\$3 and (scor\$4) and (packag\$3 or module) and surface)	USPAT;	2004/01/23 12:05
	133	and optical near3 component\$1	US-PGPUB;	200 1/0 1/20 12.00
		The second conference of the second conference	EPO; JPO;	
			DERWENT	
-	10532	(adhesive or adhesion) and (scor\$4) and (packag\$3 or module)	USPAT;	2004/01/23 12:05
	1	and surface	US-PGPUB;	
	1		EPO; JPO;	
		//	DERWENT	0004/04/05
-	198	((	USPAT;	2004/01/23 12:05
		and surface) and optical near3 component\$1	US-PGPUB;	
			EPO; JPO; DERWENT	
L	ــــــــــــــــــــــــــــــــــــــ	<del></del>	PEKAAGIAI	

-	2	(adhesive or adhesion) and (scor\$4 near3 surface) and	USPAT;	2004/01/23 12:10
		(packag\$3 or module) and (optical near3 component\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	38	(adhesive or adhesion) and ((scor\$4 or scrib\$3) near3 surface)	USPAT;	2004/01/23 12:15
		and (optical near3 component\$1)	US-PGPUB;	
		and (option made component)	EPO; JPO;	
			DERWENT	
	1344	(adhesive) and ((scor\$4) near3 surface)	USPAT;	2004/01/23 12:16
-	1344		US-PGPUB;	2004/01/20 12.10
			EPO; JPO;	
		•		
	660	(/adhaniya) and (/agasta) near2 systems) \ and maynta	DERWENT	2004/04/22 12:17
-	668	((adhesive) and ((scor\$4) near3 surface) ) and mount\$9	USPAT;	2004/01/23 12:17
			US-PGPUB;	
			EPO; JPO;	
	400	(/a lback a) and (/a a @4)	DERWENT	0004/04/00 40 47
-	189	((adhesive) and ((scor\$4) near3 surface) ) and carrier	USPAT;	2004/01/23 12:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	29	(((adhesive) and ((scor\$4) near3 surface) ) and carrier) and	USPAT;	2004/01/23 12:21
		lens\$2	US-PGPUB;	
			EPO; JPO;	
		,	DERWENT	
-	49	(((adhesive) and ((scor\$4) near3 surface) ) and mount\$9) and	USPAT;	2004/01/23 12:24
		lens\$2	US-PGPUB;	<del>_</del> ,
			EPO; JPO;	
			DERWENT	
_	2121	method near3 fix\$6 and optical and adhesive	USPAT;	2004/01/23 12:25
		mentour neuro mayo una optical una auricotto	US-PGPUB;	200 1/0 1/20 12:20
			EPO; JPO;	
			DERWENT	
	283	method near3 fix\$6 and optical near3 component\$1 and adhesive	USPAT;	2004/01/23 12:25
-	203	method hears hixpo and optical hears componently rand adhesive		2004/01/23 12.23
			US-PGPUB;	
			EPO; JPO;	
		(	DERWENT	0004/04/00 40:00
-	2	(method near3 fix\$6 and optical near3 component\$1 and	USPAT;	2004/01/23 12:26
		adhesive) and (scor\$3 or kerf\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	(method near3 fix\$6 and optical near3 component\$1 and	USPAT;	2004/01/23 12:48
		adhesive) and (scoring)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	5	(method near3 fix\$6 and optical near3 component\$1 and	USPAT;	2004/01/23 12:57
	,	adhesive) and 372/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	874	156/60.ccls.	USPAT;	2004/01/23 12:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	10	156/60.ccls. and scor\$3	USPAT;	2004/01/23 12:59
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	16	156/60.ccls. and optical near3 component\$1	USPAT;	2004/01/23 13:05
	.5	1.00.00.00.0 and opasar hours compensity?	US-PGPUB:	-00-10 1/20 10.00
			EPO; JPO;	
			DERWENT	
1_	1	156/60 ccls, and korf\$1		2004/04/22 42:07
-	<b>'</b>	156/60.ccls. and kerf\$1	USPAT;	2004/01/23 13:07
			US-PGPUB;	
			EPO; JPO;	
	_	450/00	DERWENT	0004645
-	5	156/60.ccls. and fluid near3 adhesive	USPAT;	2004/01/23 13:09
			US-PGPUB;	
			EPO; JPO;	
	l		DERWENT	
O	0/00/04	8:05:38 AM Page 7		

•				
-	16	156/60.ccls. and notch	USPAT;	2004/01/23 13:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	65	surface near3 bond\$3 and adhesive and (notch or scoring or	USPAT;	2004/01/23 13:18
		kerf\$1) and optical near3 component\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT	0004/04/00 40 40
-	61	surface near3 bond\$3 and adhesive and (notch or scoring or	USPAT;	2004/01/23 13:19
		kerf\$1) and optical near3 component\$1 and method	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT	0004/04/00 40:40
-	1	surface near3 bond\$3 and adhesive and (kerf\$1) and optical	USPAT;	2004/01/23 13:19
		near3 component\$1 and method	US-PGPUB;	
			EPO; JPO; DERWENT	
	16	surface near3 bond\$3 and adhesive and (scoring) and optical	USPAT;	2004/01/23 13:20
-	10	near3 component\$1 and method	US-PGPUB;	2004/01/23 13.20
		nears components rand method	EPO; JPO;	
			DERWENT	
_	55	surface near3 bond\$3 and adhesive and (notch) and optical	USPAT:	2004/01/23 13:41
		near3 component\$1 and method	US-PGPUB;	2004/01/20 10:41
	:	nodio componente i ana modica	EPO; JPO;	
			DERWENT	
_	122	scoring near3 surface and adhesive and bonding and method	USPAT;	2004/01/23 14:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	10	scoring near3 surface same bonding and adhesive and method	USPAT;	2004/01/23 13:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	10	((scoring near3 surface) same bonding) and adhesive and	USPAT;	2004/01/23 13:51
		method	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	714	(rough near3 surface) and surface near3 bonding and adhesive	USPAT;	2004/01/23 13:52
		and method	US-PGPUB;	
1			EPO; JPO;	•
	50	(recent page 2 augustage) and southern page 3 banding and adjustice	DERWENT	0004/04/02 42-50
-	58	(rough near3 surface) and surface near3 bonding and adhesive	USPAT;	2004/01/23 13:56
		and method and (optical near3 (component\$1 or element\$1))	US-PGPUB; EPO: JPO:	
_	58	(rough near3 surface) and scoring and bonding and adhesive and	DERWENT USPAT;	2004/01/23 13:57
	50	method	US-PGPUB;	2007/01/23 13.3/
			EPO; JPO;	
		,	DERWENT	
-	11	(rough near3 surface) and scoring and bonding and adhesive and	USPAT;	2004/01/23 13:58
		method and (optical near3 (component\$1 or element\$1))	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT	
-	20	(scoring near3 surface and adhesive and bonding and method)	USPAT;	2004/01/23 14:07
		and (lens\$2 or mirror\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	(scoring near3 surface and adhesive and bonding and method)	USPAT;	2004/01/23 14:07
		and 372/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
	ا ا	(anadism many) and an are district to a state of the state of	DERWENT	0004/04/00 : * * *
-	4	(scoring near3 surface and adhesive and bonding and method)	USPAT;	2004/01/23 14:11
		and 438/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
		surface pears handing and session and adhesive and 270/h	DERWENT	2004/04/02 44:42
-	0	surface near3 bonding and scoring and adhesive and 372/\$.ccls.	USPAT;	2004/01/23 14:12
			US-PGPUB;	
			EPO; JPO; DERWENT	
	<u> </u>	9:05:29 AM Dans 9	PLIVACIAL	

•				
-	13	((scoring or rough) near3 surface) and bonding and 372/\$.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/01/23 14:20
-	0	scoring near3 surface and bonding and 372/\$.ccls.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 14:21
-	19	scoring near3 surface and (improv\$5 near3 bonding) and adhesive	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/01/23 14:21
-	11	filling near3 bond\$3 and (kerf\$1 or notch\$2) and surface\$1 and (scor\$3 or scratch\$3)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:38
	201	optical near3 component and fixing near3 method	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:39
-	101	(optical near3 component and fixing near3 method) and adhesive	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:39
-	0	((optical near3 component and fixing near3 method) and adhesive) and scor\$3	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:40
-	4	((optical near3 component and fixing near3 method) and adhesive) and notch	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:43
-	0	((optical near3 component and fixing near3 method) and adhesive) and kerf\$1	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:42
-	50	scor\$3 and notch\$2 and kerf\$1	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:59
-	0	scor\$3 and notch\$2 and inprov\$3 near3 bond\$3	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 14:59
-	46	scor\$3 and notch\$2 and improv\$3 near3 bond\$3	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 15:02
-	762	(scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or enhanc\$4) near3 (bond\$3 or adhes\$3))	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 15:04
-	269	((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or enhanc\$4) near3 (bond\$3 or adhes\$3))) and optic\$3	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 15:23
-	1	(((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or enhanc\$4) near3 (bond\$3 or adhes\$3))) and optic\$3) and 372/\$.ccls.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 15:09
-	110	(((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or enhanc\$4) near3 (bond\$3 or adhes\$3))) and optic\$3) and lens	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 15:30
-	117	(((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or enhanc\$4) near3 (bond\$3 or adhes\$3))) and optic\$3) and depth	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/02 15:10
			DERWENT	<u> </u>

•				
-	32	(((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or enhanc\$4) near3 (bond\$3 or adhes\$3))) and optic\$3) and flatness	USPAT; US-PGPUB; EPO; JPO;	2004/02/02 15:10
			DERWENT	
-	26	(((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3	USPAT;	2004/02/02 15:10
		or enhanc\$4) near3 (bond\$3 or adhes\$3))) and optic\$3) and pitch	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	114	((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or	USPAT;	2004/02/02 15:23
		enhanc\$4) near3 (bond\$3 or adhes\$3))) and lens	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT	
-	33	(((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3	USPAT;	2004/02/02 15:24
		or enhanc\$4) near3 (bond\$3 or adhes\$3))) and lens) and depth	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	114	((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3 or	USPAT;	2004/02/02 15:30
	!	enhanc\$4) near3 (bond\$3 or adhes\$3))) and lens	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	114	(((scor\$3 or textur\$3 or emboss\$3) and notch\$2 and ((improv\$3	USPAT;	2004/02/02 15:31
		or enhanc\$4) near3 (bond\$3 or adhes\$3))) and lens) and surface	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT	
-	1	"20010053167"	USPAT;	2004/02/03 10:40
			US-PGPUB	
-	6	(("5960025") or ("5669997") or ("6129854") or ("6346305") or	USPAT;	2004/02/11 09:12
		("6428896") or ("20020174805")).PN.	US-PGPUB	
-	63	bond\$3 near3 optical and adhes\$3 and scor\$3	USPAT;	2004/02/11 09:16
	:	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	6	bond\$3 near3 optical and adhes\$3 and scor\$3 and 156/\$.ccls.	USPAT;	2004/02/11 09:14
			US-PGPUB;	
			EPO; JPO;	
:			DERWENT	
_	10	bond\$3 near3 optical near3 surface and scor\$3	USPAT;	2004/02/11 09:21
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	277	bond\$3 near3 optical and (scor\$3 or textur\$3 or scrib\$3 or	USPAT;	2004/02/11 09:23
		emboss\$3) and enhanc\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	29	bond\$3 near3 optical and (scor\$3 or textur\$3 or scrib\$3 or	USPAT;	2004/02/11 09:23
		emboss\$3) and enhanc\$3 near3 adhes\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	1	bond\$3 near3 optical and (scor\$3 or textur\$3 or scrib\$3 or	USPAT;	2004/02/11 09:25
		emboss\$3) and enhanc\$3 near3 adhes\$3 and ((156/\$.ccls.) or	US-PGPUB;	
		(372/\$.ccls.))	EPO; JPO;	
		hand000f 1/	DERWENT	0004/00//
-	793	bond\$3 near3 surface and (scor\$3 or textur\$3 or scrib\$3 or	USPAT;	2004/02/11 09:25
		emboss\$3) and enhanc\$3 near3 adhes\$3	US-PGPUB;	
	}		EPO; JPO;	
		handen near out of the total of the total	DERWENT	0004/00/44 00 00
-	56	bond\$3 near3 surface and (scor\$3 or textur\$3 or scrib\$3 or	USPAT;	2004/02/11 09:28
		emboss\$3) and ((enhanc\$3 or improv\$3) near3 adhes\$3) and	US-PGPUB;	
		(optical near3 (member or element or component))	EPO; JPO;	
		hand\$2 nage2 gurfage and (nage\$) and ((nation after a fee)	DERWENT	0004/00/44 00 00
-	22	bond\$3 near3 surface and (scor\$3 ) and ((enhanc\$3 or improv\$3)	USPAT;	2004/02/11 09:33
		near3 adhes\$3) and (optical near3 (member or element or	US-PGPUB;	
		component))	EPO; JPO;	
		hand00 and audes need (00) =1 (/ 1	DERWENT	0004/00//
-	0	bond\$3 and surface near3 (scor\$3) and ((enhanc\$3 or improv\$3)	USPAT;	2004/02/11 09:33
		near3 adhes\$3) and (optical near3 (member or element or	US-PGPUB;	
		component))	EPO; JPO;	]
	l		DERWENT	L

3"				
-	135	bond\$3 and surface near3 (scor\$3 ) and ((enhanc\$3 or improv\$3) near3 adhes\$3)	USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:34
	34	bond\$3 and surface near3 (scor\$3 ) and ((enhanc\$3 or improv\$3)	DERWENT USPAT;	2004/02/11 09:37
-	34	near3 adhes\$3) and optical	US-PGPUB; EPO; JPO;	2004/02/11 09.37
-	991	adhesive near3 bond\$3 and scor\$3 and (groove or gap)	DERWENT USPAT; US-PGPUB;	2004/02/11 09:41
-	166	(adhesive near3 bond\$3 and scor\$3 and (groove or gap)) and surface and (lens\$3 or mirror\$1 or prism\$1)	EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:43
_	19	((adhesive near3 bond\$3 and scor\$3 and (groove or gap)) and surface and (lens\$3 or mirror\$1 or prism\$1)) and wicking	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:40
-	104	adhesive near3 bond\$3 near3 surface and scor\$3 and (groove or gap)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:42
-	0	adhesive near3 bond\$3 near3 mirror\$1 and scor\$3 and (groove or gap)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:42
_	0	adhesive near3 bond\$3 near3 lens\$3 and scor\$3 and (groove or gap)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:43
-	0	adhesive near3 bond\$3 near3 prism\$1 and scor\$3 and (groove or gap)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:43
-	18	(adhesive near3 bond\$3 near3 surface and scor\$3 and (groove or gap)) and (lens\$3 or mirror\$1 or prism\$1)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 09:50
-	0	(((imporv\$3 or enhanc\$3) near3 bond\$3 near3 (scor\$3 or kerf\$1 or textur\$3 or emboss\$3)) same (lens\$2 or mirror\$1 or prism\$1))	DERWENT USPAT; US-PGPUB; EPO: JPO:	2004/02/11 09:52
-	63	((imporv\$3 or enhanc\$3) near3 bond\$3 near3 (scor\$3 or kerf\$1 or textur\$3 or emboss\$3))	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 10:05
-	88	((imporv\$3 or enhanc\$3) near3 adhes\$3) and ((scor\$3 or kerf\$1 or textur\$3) near3 surface) and polish\$3 near3 surface	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 10:08
-	72	((imporv\$3 or enhanc\$3) near3 adhes\$3) and ((scor\$3 or kerf\$1 or textur\$3) near3 surface) and polish\$3 near3 surface and (glass or quartz)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 10:15
-	63	((imporv\$3 or enhanc\$3) near3 adhes\$3) and ((scor\$3 or kerf\$1) near3 surface)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 10:23
-	628	surface near3 adhes\$3 and ((scor\$3 or kerf\$1) near3 surface)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 10:26
-	3	(surface near3 adhes\$3 and ((scor\$3 or kerf\$1) near3 surface) ) and (optical near3 (element or member or component))	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/02/11 10:24
L	L		DERWENT	

•				
-	52	bond\$3 and ((scor\$3 or kerf\$1) near3 surface) and light near3 beam	USPAT; US-PGPUB;	2004/02/11 10:31
			EPO; JPO;	
	0	(bond\$3 near3 (optical near3 (element or component or memeber	DERWENT USPAT;	2004/02/11 10:33
-		or device))) and ((scor\$3 or kerf\$1) near3 surface)	US-PGPUB;	2004/02/11 10.33
		or device/// and ((See 40 or Kent) hears surface)	EPO; JPO;	
			DERWENT	
-	1577	(bond\$3 near3 (optical near3 (element or component or memeber	USPAT;	2004/02/11 10:33
		or device)))	US-PGPUB;	
			EPO; JPO;	
	705	(hand\$2 nass2 (satisations 2 (standard nassation and a satisfic nassati	DERWENT	0004/00/44 40:00
-	785	(bond\$3 near3 (optical near3 (element or component or memeber or device))) and adhes\$3	USPAT; US-PGPUB;	2004/02/11 10:33
		of device))) and adness5	EPO; JPO;	
1			DERWENT	
-	683	(bond\$3 near3 (optical near3 (element or component or	USPAT;	2004/02/11 10:53
		member))) and adhes\$3	US-PGPUB;	
			EPO; JPO;	
	00	//h = 1 d@2 = 1 = 2 (= 15 = 1 = 1 = 2 = 2 (= 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 =	DERWENT	0004/00/44 40 54
-	28	((bond\$3 near3 (optical near3 (element or component or member))) and adhes\$3) and (surface near3 (scor\$3 or kerf\$1 or	USPAT; US-PGPUB;	2004/02/11 10:54
		textur\$3 or rough\$3))	EPO; JPO;	
			DERWENT	
-	70	(bond\$3 near3 (optical near3 (element or component or	USPAT;	2004/02/11 10:54
		member))) and ((enhanc\$3 or improv\$3) near5 adhes\$3)	US-PGPUB;	
			EPO; JPO;	
	176	(bond\$3 near3 (optical near3 (element or component or	DERWENT	2004/02/11 10:54
-	'''	member))) and ((enhanc\$3 or improv\$3) near5 (adhes\$3 or	USPAT; US-PGPUB;	2004/02/11 10.54
		bond\$3))	EPO; JPO;	
			DERWENT	
-	3	((bond\$3 near3 (optical near3 (element or component or	USPAT;	2004/02/11 10:55
		member))) and ((enhanc\$3 or improv\$3) near5 adhes\$3)) and	US-PGPUB;	
		(surface near3 (scor\$3 or kerf\$1 or textur\$3 or rough\$3))	EPO; JPO; DERWENT	
-	12	((bond\$3 near3 (optical near3 (element or component or	USPAT;	2004/02/11 10:55
		member))) and ((enhanc\$3 or improv\$3) near5 (adhes\$3 or	US-PGPUB;	
	1	bond\$3))) and (surface near3 (scor\$3 or kerf\$1 or textur\$3 or	EPO; JPO;	
		rough\$3))	DERWENT	0004/00/40 44.50
-	9	(scor\$3 near3 (surface or plane)) and (lens\$2 near3 (bond\$3 or fix\$3))	USPAT; US-PGPUB:	2004/02/12 11:56
		πλφογγ	EPO; JPO;	
			DERWENT	
-	24	(scor\$3 near3 (surface or plane)) and (optic\$2 near3 (bond\$3 or	USPAT;	2004/02/12 12:01
		fix\$3))	US-PGPUB;	
			EPO; JPO; DERWENT	
-	0	(kerf\$1 near3 (surface or plane) near3 adhesive) and lens\$2	USPAT:	2004/02/12 12:02
		The state of the s	US-PGPUB;	
			EPO; JPO;	
		(1,0,10,4,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	DERWENT	0004/00/10 10 55
-	1	(kerf\$1 near3 (surface or plane) near3 adhesive)	USPAT;	2004/02/12 12:03
			US-PGPUB; EPO; JPO;	
			DERWENT	
-	66	(kerf\$1 near3 adhesive)	USPAT;	2004/02/12 12:04
			US-PGPUB;	
			EPO; JPO; DERWENT	
-	0	((kerf\$1 near3 adhesive) ) and (bond\$3 near3 ((lens\$2 or	USPAT;	2004/02/12 12:06
		mirror\$1 or optical) near3 (member\$1 or element\$1 or	US-PGPUB;	2007/02/12 12:00
		component\$1)))	EPO; JPO;	
	2005	(1 100 0 (1 00 1 0 1 0 1 0 1 0 1 0 1 0 1	DERWENT	
-	2333	(bond\$3 near3 ((lens\$2 or mirror\$1 or optical) near3 (member\$1 or element\$1 or component\$1)))	USPAT;	2004/02/12 12:07
		or elements for components ()))	US-PGPUB; EPO; JPO;	
			DERWENT	
			·	L

	229	((bond\$3 near3 ((lens\$2 or mirror\$1 or optical) near3 (member\$1 or element\$1 or component\$1)))) and bond\$3 and adhesive and (scor\$3 or textur\$3 or rough\$4)	USPAT; US-PGPUB; EPO; JPO;	2004/02/12 12:08
		(300140 of textures of roughter)	DERWENT	
_	37	(((bond\$3 near3 ((lens\$2 or mirror\$1 or optical) near3	USPAT;	2004/02/12 13:16
		(member\$1 or element\$1 or component\$1)))) and bond\$3 and	US-PGPUB;	2004/02/12 10:10
•		adhesive and (scor\$3 or textur\$3 or rough\$4)) and 156/\$.ccls.	EPO; JPO;	
		dulibore and (coords or toxidity or loagily 1) and room, colo.	DERWENT	
_	40	(groove or notch) and (adhesive or bond\$3) and (optical near3	USPAT;	2004/02/12 13:33
		(component or element or member)) and (scor\$3 or kerf\$1 or	US-PGPUB;	2001/02/12 10:00
		scratch\$3) and 156/\$.ccls.	EPO; JPO;	
			DERWENT	
-	601	(groove or notch) and (adhesive or bond\$3) and (optical near3	USPAT;	2004/02/12 13:39
		(component or element or member)) and (scor\$3 or kerf\$1 or	US-PGPUB;	
		scratch\$3)	EPO; JPO;	
			DERWENT	
-	393	"601" and 372/\$.ccls.	USPAT;	2004/02/12 13:35
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	4	((groove or notch) and (adhesive or bond\$3) and (optical near3	USPAT;	2004/02/12 13:35
		(component or element or member)) and (scor\$3 or kerf\$1 or	US-PGPUB;	
		scratch\$3) ) and 372/\$.ccls.	EPO; JPO;	
			DERWENT	
-	112	((groove or notch) and (adhesive or bond\$3) and (optical near3	USPAT;	2004/02/12 13:39
		(component or element or member)) and (scor\$3 or kerf\$1 or	US-PGPUB;	
		scratch\$3) ) and 385/\$.ccls.	EPO; JPO;	
		(	DERWENT	0004/00/40 40 40
-	26	(groove or notch) and (adhesive or bond\$3) and (optical near3	USPAT;	2004/02/12 13:43
		(component or element or member)) and (scor\$3 or kerf\$1) and 385/\$.ccls.	US-PGPUB;	
		303/p.ccis.	EPO; JPO; DERWENT	
_	650	notch\$3 and (adhesive or bond\$3) and (optical near3	USPAT;	2004/02/12 14:02
	000	(component\$1 or element\$1 or member\$1)) and (kerf\$1 or	US-PGPUB;	2004/02/12 14.02
		slit\$1)	EPO; JPO;	
			DERWENT	
-	5	notch and (adhesive or bond\$3) and (optical near3 (component\$1	USPAT;	2004/02/12 13:47
	_	or element\$1 or member\$1)) and kerf\$1	US-PGPUB;	200 02. 12 10111
		<b>"</b>	EPO; JPO;	
			DERWENT	
-	11	(notch\$3 and (adhesive or bond\$3) and (optical near3	USPAT;	2004/02/12 13:57
		(component\$1 or element\$1 or member\$1)) and (kerf\$1 or	US-PGPUB;	
		slit\$1) ) and 156/\$.ccls.	EPO; JPO;	
			DERWENT	
-	612	notch\$3 and ((adhesive or bond\$3) near3 (surface or mount\$3))	USPAT;	2004/02/12 14:13
		and (optical near3 (component\$1 or element\$1 or member\$1))	US-PGPUB;	
			EPO; JPO;	
	51	(notable) and ((adhanive or handle)) name (author or many)	DERWENT	0004/00/40 44:45
-	31	(notch\$3 and ((adhesive or bond\$3) near3 (surface or mount\$3)) and (optical near3 (component\$1 or element\$1 or member\$1)))	USPAT;	2004/02/12 14:15
		and (optical nears (components) or elements) or members)))) and ((improv\$3 or enhanc\$3) near3 adhesion)	US-PGPUB; EPO; JPO;	
		and Miniproves of Ginanoes, ficals auticsion)	DERWENT	
_	225	((notch\$3 or kerf\$3 or scor\$3) near3 (surface or mount)) and	USPAT;	2004/02/12 14:14
	225	(adhesive or bond\$3) and (optical near3 (component\$1 or	US-PGPUB;	2007/02/14 14.14
		element\$1 or member\$1))	EPO; JPO;	
		, a contract of the contract o	DERWENT	
-	4	(((notch\$3 or kerf\$3 or scor\$3) near3 (surface or mount)) and	USPAT;	2004/02/12 14:15
		(adhesive or bond\$3) and (optical near3 (component\$1 or	US-PGPUB;	
		element\$1 or member\$1)) ) and ((improv\$3 or enhanc\$3) near3	EPO; JPO;	
		adhesion)	DERWENT	
-	136	optical near3 component\$1 and ((improv\$3 or enhanc\$3) near3	USPAT;	2004/02/12 14:17
		adhesion) and ((bond\$3 or fix\$3) near3 (surface or mount))	US-PGPUB;	
			EPO; JPO;	
		(#200400F24C7#\ DN	DERWENT	0004100410
-	1	("20010053167").PN.	USPAT;	2004/02/13 10:43
L			US-PGPUB	

•				
-	2	adherence near3 lock\$3 and (optical near3 (component or	USPAT;	2004/02/13 10:37
	_	element or member))	US-PGPUB;	
			EPO; JPO;	
				i
			DERWENT	
-	3	adherence near3 lock\$3 and lens\$2	USPAT;	2004/02/13 10:37
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT	
		/!/		2004/02/12 10:44
-	0	("(groov\$3near3kerf\$3)").PN.	USPAT;	2004/02/13 10:44
			US-PGPUB	
-	304	groov\$3 near3 kerf\$3	USPAT;	2004/02/13 10:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
		0.000		0004/00/40 40:45
-	224		USPAT	2004/02/13 10:45
-	13	groov\$3 near3 kerf\$3 and surface and (prism or lens or (beam	USPAT	2004/02/13 10:46
		near3 splitt\$3))		
_	54	groov\$3 near3 kerf\$3 and surface and adhes\$3	USPAT	2004/02/13 10:49
-	i	groov\$3 near3 kerf\$3 and surface near3 bond\$ and adhes\$3	USPAT	2004/02/13 10:49
-	10			
-	11	groov\$3 near3 kerf\$3 and 156/\$.ccls.	USPAT	2004/02/13 10:50
-	54	groov\$3 near3 kerf\$3 and adhesive	USPAT	2004/02/13 10:51
-	0	groov\$3 near3 kerf\$3 and adhesive and optical near3 component	USPAT	2004/02/13 10:51
_	Ō	groov\$3 near3 kerf\$3 and adhesive and optical near3 component	USPAT;	2004/02/13 10:51
		grooted heard kerred and dancored and optical hours component	US-PGPUB;	200 1702 10 10101
			EPO; JPO;	
1			DERWENT	
-	0	groov\$3 near3 kerf\$3 near3 notch and adhesive	USPAT;	2004/02/13 10:52
			US-PGPUB;	
			EPO; JPO;	
				į
	_		DERWENT	
-	2	groov\$3 near3 kerf\$3 near3 notch	USPAT;	2004/02/13 10:52
'			US-PGPUB;	
Į.			EPO; JPO;	
			DERWENT	
	0	notch\$3 near3 kerf\$3 near3 scor\$3	USPAT:	2004/02/13 10:53
-	0	Holongo nearo kengo nearo scorgo	,	2004/02/13 10:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
l <u>-</u>	1	groov\$3 near3 kerf\$3 near3 scor\$3	USPAT;	2004/02/13 10:55
		growth was not to the transfer of the transfer	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	18	groov\$3 and kerf\$3 near3 notch	USPAT;	2004/02/13 10:55
1			US-PGPUB;	
			EPO; JPO;	
1	1		DERWENT	
	1	5669997.pn.	USPAT:	2004/02/13 13:56
1	'	oooaar.pn.	·	2007/02/10 10:00
			US-PGPUB	0004/00/10 10 55
-	32228	optical near3 communication\$1	USPAT;	2004/02/13 13:56
			US-PGPUB	
-	23	(optical near3 communication\$1) and glass near3 terminal	USPAT;	2004/02/13 14:02
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	
1_	3	((optical near3 communication\$1) and glass near3 terminal) and	USPAT;	2004/02/13 14:01
1-	3			2007/02/13 14.01
		high near3 speed	US-PGPUB	
-	2	(optical near3 communication\$1) and glass adj terminal	USPAT;	2004/02/13 14:00
	1		US-PGPUB	
-	8461	(optical near3 communication\$1) and high near3 speed	USPAT;	2004/02/13 14:01
		, ,	US-PGPUB	
	0457	(antical page? communication (1) and high adjaced		2004/02/13 14:01
-	8157	(optical near3 communication\$1) and high adj speed	USPAT;	2004/02/13 14:01
	1		US-PGPUB	
-	2	((optical near3 communication\$1) and high adj speed) and glass	USPAT;	2004/02/13 14:02
L	1	near3 terminal	US-PGPUB	